UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/786,279	02/24/2004	Mark Banister	MEDIPACS 04.02	2485
27667 HAYES SOLO	7590 03/30/200 WAY P.C.	9	EXAMINER	
	SE DRIVE, SUITE 14		BARTON, JEFFREY THOMAS	
TUCSON, AZ 85718			ART UNIT	PAPER NUMBER
			1795	
			MAIL DATE	DELIVERY MODE
			03/30/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)					
	10/786,279	BANISTER, MARK					
Office Action Summary	Examiner	Art Unit					
	Jeffrey T. Barton	1795					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address					
A SHORTENED STATUTORY PERIOD FOR REPLY	/ IS SET TO EXPIRE 3 MONTH()	S) OR THIRTY (30) DAYS					
WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).					
Status							
1)⊠ Responsive to communication(s) filed on <u>16 Ja</u>	nuarv 2009.						
	· · · · · · · · · · · · · · · · · · ·						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.					
Disposition of Claims							
4)⊠ Claim(s) <u>1,5-11,14-33,36 and 37</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1,5-11,14-33,36 and 37</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers							
9) The specification is objected to by the Examine	r.						
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) All b) Some * c) None of:							
1. Certified copies of the priority documents have been received.2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(a)							
Attachment(s) 1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summary	(PTO-413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date							
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 5) Notice of Informal Patent Application Other:							
i aportio(o), main Batto							

Art Unit: 1795

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 16 January 2009 has been entered.

Response to Amendment

2. The amendment filed on 16 January 2009 does not place the application in condition for allowance.

Status of Rejections Pending Since the Office Action of 18 November 2008

3. All previous rejections are withdrawn due to Applicant's amendment.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 1795

5. The factual inquiries set forth in *Graham* **v.** *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 6. Claims 1, 5-11, 14-33, 36, and 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Murasko et al (US 2002/0159245; hereinafter Murasko '245) in view of Yamamura (JP 62-106671 with English Abstract), Murasko (US 2001/0035716; hereinafter Murasko '716), Murasko (US 6,203,391; hereinafter Murasko '391), Curtin (US 6,160,215), and Jönsson. (US 5,301,789)

Regarding claim 1, Murasko '245 teaches a fully contained solar powered laminated electrical tape illuminated device comprising stacked layers including a substrate 202 that can be plastic; a photocell 208 (i.e., a photovoltaic that is illuminated by the sun); a device 204, such as a thin film battery, for storing electricity produced by the photocell 208; a source of illumination 206; electrical circuitry 214 for connecting the components; and, as a protective surface, a light transmissive, electrically insulating material (see paragraphs 0023 to 0025). This laminated system reads on a "tape" in that Murasko '245 discloses adhesive backing for these devices. (Paragraph 0028) Note also that Murasko '245 teaches that the electroluminescent devices of Murasko '716 and Murasko '391 are suitable for use within their devices. (Paragraph 0030)

Regarding claim 6, the substrate required in the structure of Murasko '245 inherently has a finite thermal conductivity, and will dissipate heat at a corresponding rate. The structure inherently meets the limitations of this claim.

Regarding claims 7-9, Murasko '245 discloses light-sensing switches (Paragraph 0027), which sense ambient light levels, and actuate a switch operable to turn the lamp on or off. Such switches read on the claims.

Regarding claim 11, it is the Examiner's position that the electrical circuitry in the device of Murasko '245 inherently prevents electric current drain through the photocell.

Regarding claim 14, Murasko '245 discloses a transparent front electrode of the EL lamp. (Paragraph 0027)

Regarding claim 15, Murasko '245 discloses transparent non-electrical layers. (Paragraph 0025, "light-transmissive" coatings)

Regarding claim 17, the electroluminescent lamp of Murasko '245 emits electromagnetic radiation having a frequency, which reads on the claim.

Regarding claims 18-21 and 36, Murasko '245 discloses the electroluminescent lamp comprising an organic light emitting diode. (Paragraph 0021)

Regarding claims 23 and 24, a metallic substrate, as disclosed in paragraph 0025 of Murasko '245 would be reflective, and oriented to reflect light through the opposite surface of the device.

Regarding claims 25 and 26, the organic polymers listed in paragraph 0021 are fluorescent and luminescent.

Regarding claim 27, insulating substrates are dielectric (Paragraph 0025).

Regarding claim 30, leads 214 (Paragraph 0027) are electrodes on the electroluminescent device, contacts to the power supply, and connection between both, meeting the limitations of the claim.

Page 5

Regarding claim 33, Murasko '245 discloses using plural devices to provide a signal. (Paragraph 0028)

Relevant to claims 5, 10, 31, and 32, Murasko '245 teaches using the laminated devices for signs, billboards, or other illuminated designs or images. (Paragraph 0028) In a different embodiment, the reference also teaches signal receivers/transmitters as claimed (Paragraph 0036; microprocessor control) and a second EL lamp connected to the power supply, which can be illuminated at different times than the first lamp. (Paragraph 0037) Such a second lamp requires a separate, alternative power outlet (i.e. from battery) and inlet (i.e. to second EL lamp) as required by claim 5.

Murasko '245 also teaches using an adhesive on the protective surface or base sealing layer to affix the devices onto surfaces. (Paragraph 0028)

Regarding claim 1, Murasko et al do not explicitly teach a removable covering over the adhesive, specifically flexible components as claimed, the thin film solar cell overlying the thin film battery, or the device being formed into a roll. Regarding claim 16, Murasko et al do not teach a clear adhesive. Within the cited embodiment of Figure 2, Murasko et al does not explicitly disclose an alternative power inlet and outlet as claimed in claim 5, the transmitters and receivers claimed in claim 10, or the edge to edge assembly/lamination required by claims 31 and 32.

Art Unit: 1795

Curtin teaches providing solar cells having an adhesive layer over an outer protective surface, and a removable backing over a clear adhesive layer that allows the cell to be affixed to any desired substrate. (Figure 6; Abstract; Column 4, lines 16-19)

Murasko '716 teaches an electroluminescent device that is flexible. (Paragraph 0030) And Murasko '391 specifically discloses flexible substrates for EL devices. (Column 1, lines 15-17; Column 2, lines 57-63)

Yamamura et al teaches reduction in the number of parts of a laminated solar battery device and simplified assembly achieved by disposing a charge storage device (Capacitor) on the non-light receiving surface of a thin-film solar cell assembly. (Constitution section of Abstract; Figure 1)

Jönsson is cited for teaching what is well known, namely that storage of flexible materials on rolls is conventional, since it protects the bulk of the material while stored and aids in handling the material. (Column 1, lines 46-50)

Regarding claim 1, it would have been obvious to one having ordinary skill in the art to modify the device of Murasko '245 by including a removable backing on the adhesive layer, as taught by Curtin, because a skilled artisan would have recognized the advantage of such a backing in that it allows easier handling of the devices prior to affixing on a surface. (i.e. no adhesion until desired, no need to apply an adhesive immediately prior to mounting)

Furthermore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the device of Murasko '245 by

Art Unit: 1795

disposing the thin film charge storage device on the non-light receiving surface of the thin film solar cell, as taught by Yamamura, because Yamamura teaches that such a design reduces the number of parts required and simplifies the assembly of the device. (Purpose section)

Furthermore it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the device of Murasko '245 by selecting the flexible electroluminescent device of Murasko '716 and flexible substrates taught by Murasko '391, because Murasko '245 suggests using the electroluminescent devices of Murasko '716 and Murasko '391 for this purpose (Paragraph 0030), and selection from among known flexible substrate materials for electroluminescent devices would have been obvious to one having ordinary skill in the art.

Based on the teachings of the prior art as applied above, all claim limitations are taught, except for explicit teachings of flexibility in the respective photovoltaic, battery, and circuitry, and overall device, and it's being formed into a roll. It is the Examiner's position that thin film semiconductor, metal, and dielectric films that form the thin film photovoltaic and battery layers and leads 214 are "flexible", inasmuch as none of these materials has sufficient thickness to impart rigidity when disposed on a flexible substrate. The overall laminated structure will be flexible when disposed on a flexible substrate. Furthermore, as evidenced by the teaching of Jönsson's background section, it is conventional to store flexible sheet material in roll form, due to protection of the bulk of the material it provides, as well as aiding in its handling. Accordingly, in the Examiner's opinion, such rolling of the flexible device for storage or transport prior to

Art Unit: 1795

application to a surface would have been obvious to one having ordinary skill in the art.

Accordingly, all claim limitations are deemed met by the prior art of record.

Specific to claim 16, it would also have been obvious to one having ordinary skill in the art to use a clear adhesive, as taught by Curtin, because it would allow adhesion of the device on the interior side of windows and the like, increasing the protection of the devices from damage while still allowing light to reach the solar cell and the light from the EL lamps to be visible from the exterior.

Regarding claim 5, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the device of the embodiment of Figure 2 of Murasko '245 by connecting a second lamp to a battery, as taught in Paragraph 0037 of Murasko '245, because it would increase the illumination provided by the system and enable a wider variety of display designs powered by a singe cell/battery unit. Such a system would have lower manufacturing costs than two lamps powered by separate cell/battery units, providing additional motivation for such an arrangement.

Regarding claim 10, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the device of the embodiment of Figure 2 of Murasko '245 by using a computer to control the illumination performed by the system, because this would enable desirable complex illumination patterns, such as those described in paragraph 0036, for creative and attractive displays.

Regarding claim 22, any material that transmits light and has a refractive index other than 1 reads on this claim. The polyester film substrate of Murasko '391 meets the limitation.

Regarding claim 28, conventional polyester film substrates, as used by Murasko '391, are smooth.

Regarding claim 29, the device as claimed includes the removable backing, which is at an exterior surface. Curtin teaches a paper backing (Column 4, lines 7-16), and paper is textured.

Regarding claims 31 and 32, it would have been obvious to one having ordinary skill in the art at the time the invention was made to place plural adhesive devices of the embodiment of Figure 2 of Murasko '245 adjacent each other in making a sign, billboard or other display design, depending on what shape or design is desired. Adjacent placement of these devices reads on the limitations of these claims.

Regarding claim 37, this claim is directed to formation of the claimed product by a specified process, and does not further limit the claimed structure. "[E]ven though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process." *In re Thorpe*, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985) As there is no evident structural difference

Art Unit: 1795

between the structure of the prior art and that claimed, the claim is rejected on the same grounds as claim 1.

Response to Arguments

7. Applicant's arguments filed 16 January 2009 have been fully considered but they are not persuasive.

Many of Applicant's arguments are moot in view of the new grounds of rejection, but where they apply to the rejection, they are addressed below.

Applicant disagrees with the Examiner's definition of flexible, but the Examiner points out that the definition relied upon previously essentially corresponds to one of those cited on page 6 of Applicant's response, i.e. "capable of being bent or flexed; pliable". As the materials taught in the prior art are capable of being flexed to a finite degree as set forth previously, they are considered to be flexible layers. Furthermore, it is noted that the thin film layers taught as being disposed on the substrates of the prior art are too thin to impart rigidity to a flexible substrate, and that therefore the laminated device will be flexible when a flexible substrate is selected. Note that Murasko '391 is now cited as more explicitly teaching a flexible substrate.

As noted in the rejection above, it is conventional to store flexible sheet materials in roll form - Jönsson is cited for this general teaching. Accordingly, since the device provided by the obvious combination of the prior art is flexible, it is considered to have been obvious to store the product in roll form, as explained in detail above.

Art Unit: 1795

Applicant further argues that Yamamura's capacitor could not be modified to be flexible, as the spacing between layers would vary, with the potential that the device would discharge or short. This is not persuasive because Yamamura teaches a solid dielectric layer 20 between metal electrodes to form the capacitor. Flexing of such a structure would therefore not have been expected to cause electrodes 19 and 21 to contact each other, and the layer spacing would be expected to remain largely unchanged despite significant flexing. No expectation for destruction of the structure or its function by flexing is evident.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dr. Jeffrey T. Barton whose telephone number is (571)272-1307. The examiner can normally be reached on M-F 9:00AM - 5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam Nguyen can be reached on (571) 272-1342. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1795

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jeffrey T. Barton/ Examiner 25 March 2009